IN THE CLAIMS:

5

10

15

20

25

30

Please amend the claims as follows:

1. (Currently Amended) A method for providing an electronic document, said electronic document having multiple versions, each of said versions identified by a creation time-stamp indicating a creation time of said corresponding version, said method comprising the steps of:

receiving a request for said electronic document, said request including a requested time-stamp indicating a time associated with a desired version of said electronic document and a requested domain name associated with said time-stamp;

identifying as a function of said creation time-stamp and said requested time-stamp a <u>desired</u> version of said electronic document having a creation time corresponding to said requested time-stamp; and

identifying an address of said <u>desired</u> version of said electronic document stored on a server corresponding to said requested time-stamp as a function of said requested time-stamp and said <u>requested</u> domain name, <u>wherein a server identified by said requested domain name does not provide said desired version at a time of said request and said identified server has a redirected domain name that is different than said requested domain name.</u>

- 2. (Previously Presented) The method according to claim 1, wherein an address identifying said electronic document includes said creation time-stamp.
- 3. (Original) The method according to claim 2, wherein said address is a Uniform Resource Locator ("URL").
- 4. (Previously Presented) The method according to claim 3, wherein said Uniform Resource Locator ("URL") has an associated request header for indicating said requested time-stamp.

5. (Previously Presented) The method according to claim 1, further comprising the step of transmitting the version of said electronic document with the most recent creation time-stamp preceding the requested time-stamp if a version of said electronic document does not exist with the requested time-stamp.

5

15

20

25

30

6. (Original) The method according to claim 1, wherein said request is specified using a browser.

7. (Previously Presented) The method according to claim 1, wherein said requested time-stamp is a relative time-stamp.

8. (Currently Amended) A system for storing an electronic document having multiple versions, each of said versions identified by a creation time-stamp indicating a creation time of said corresponding version, said system comprising:

a memory for storing said multiple versions of said electronic document in an archive of electronic documents; and

a processor operatively coupled to said memory, said processor configured to:

receive a request for said electronic document, said request including a requested domain name and a requested time-stamp indicating a time associated with a desired version of said electronic document—and—a domain name—associated with—said time-stamp;

identify as a function of said creation time-stamp and said requested timestamp a <u>desired</u> version of said electronic document having a creation time corresponding to said requested time-stamp; and

identify an address of said <u>desired</u> version of said electronic document corresponding to said requested time-stamp as a function of said requested time-stamp and said <u>requested</u> domain name, <u>wherein a server identified by said requested domain name does not provide said desired version at a time of said request and said identified address has a redirected domain name that is different than said requested domain name.</u>

- 9. (Previously Presented) The system according to claim 8, wherein an address identifying said electronic document includes said creation time-stamp.
- 10. (Original) The system according to claim 9, wherein said address is a
 Uniform Resource Locator ("URL").
 - 11. (Previously Presented) The system according to claim 10, wherein said Uniform Resource Locator ("URL") has an associated request header for indicating said requested time-stamp.

10

15

25

30

- 12. (Original) The system according to claim 8, wherein said request is specified using a browser.
- 13. (Previously Presented) The system according to claim 8, wherein said processor is further configured to transmit the version of said electronic document with the most recent creation time-stamp preceding the requested time-stamp if a version of said electronic document does not exist with the requested time-stamp.
- 14. (Previously Presented) The system according to claim 8, wherein said requested time-stamp is a relative time-stamp.
 - 15. (Currently Amended) An article of manufacture for accessing an electronic document, said electronic document having multiple versions, each of said versions being identified by a creation time-stamp indicating a creation time of said corresponding version, said article of manufacture comprising:
 - a computer readable medium having computer readable program code means embodied thereon, said computer readable program code means comprising program code means for causing a computer to:
 - receive a request for said electronic document, said request including a requested domain name and a requested time-stamp indicating a time associated with a

desired version of said electronic document-and a domain name associated with said time-stamp;

identify as a function of said creation time-stamp and said requested timestamp a <u>desired</u> version of said electronic document having a creation time corresponding to said requested time-stamp; and

identify an address of said <u>desired</u> version of said electronic document corresponding to said requested time-stamp as a function of said requested time-stamp and said <u>requested</u> domain name, <u>wherein a server identified by said requested domain name does not provide said desired version at a time of said request and said identified address has a redirected domain name that is different than said requested domain name.</u>

16. (Currently Amended) A method for resolving a <u>requested_domain</u> name, said method comprising the steps of:

receiving a request for an electronic document associated with said requested domain name, said electronic document having multiple versions, each of said versions being identified by a creation time-stamp indicating a creation time of said corresponding version, said request including a requested time-stamp indicating a time associated with a desired version of said electronic document;

identifying as a function of said creation time-stamp and said requested time-stamp a machine corresponding to a version of said requested domain name for a time period corresponding to said requested time-stamp, wherein a machine identified by said requested domain name does not provide said desired version at a time of said request and said identified machine has a redirected domain name that is different than said requested domain name; and

transmitting an indication of said identified machine storing said electronic document corresponding to said requested time-stamp.

17. (Previously Presented) The method according to claim 16, wherein an address identifying said electronic document includes said creation time-stamp.

25

5

10

15

20

18. (Original) The method according to claim 17, wherein said address is a Uniform Resource Locator ("URL").

19. (Previously Presented) The method according to claim 18, wherein said Uniform Resource Locator ("URL") has an associated request header for indicating said requested time-stamp.

5

10

20

25

30

20. (Original) The method according to claim 16, wherein said request is specified using a browser.

21. (Previously Presented) The method according to claim 16, wherein said requested time-stamp is a relative time-stamp.

22. (Currently Amended) A system for resolving a <u>requested</u> domain name, said system comprising:

a memory for storing a database identifying a machine storing an electronic document corresponding to said <u>requested</u> domain name for a plurality of time periods; and

a processor operatively coupled to said memory, said processor configured to:

receive a request for an electronic document associated with said requested domain name, said electronic document having multiple versions, each of said versions being identified by a creation time-stamp indicating a creation time of said corresponding version, said request including a requested time-stamp indicating a time associated with a desired version of said electronic document;

access said database as a function of said creation time-stamp and said requested time-stamp to identify a machine corresponding to a version of said domain name for a time period corresponding to said requested time-stamp, wherein a machine identified by said requested domain name does not provide said desired version at a time of said request and said identified machine has a redirected domain name that is different than said requested domain name; and

transmit an indication of said identified machine storing said electronic document corresponding to said requested time-stamp.

- 23. (Previously Presented) The system according to claim 22, wherein an address identifying said electronic document includes said creation time-stamp.
 - 24. (Original) The system according to claim 23, wherein said address is a Uniform Resource Locator ("URL").
 - 25. (Previously Presented) The system according to claim 24, wherein said Uniform Resource Locator ("URL") has an associated request header for indicating said requested time-stamp.

10

25

30

- 26. (Original) The system according to claim 22, wherein said request is specified using a browser.
 - 27. (Previously Presented) The system according to claim 22, wherein said requested time-stamp is a relative time-stamp.
- 28. (Currently Amended) An article of manufacture for resolving a requested domain name, said article of manufacture comprising:

a computer readable medium having computer readable program code means embodied thereon, said computer readable program code means comprising program code means for causing a computer to:

receive a request for an electronic document associated with said requested domain name, said electronic document having multiple versions, each of said versions being identified by a creation time-stamp indicating a creation time of said corresponding version, said request including a requested time-stamp indicating a time associated with a desired version of said electronic document;

identify as a function of said requested time-stamp a server corresponding to a version of said domain name, wherein said version of said domain name is associated

with a time period corresponding to said requested time-stamp, wherein a machine identified by said requested domain name does not provide said desired version at a time of said request and said identified machine has a redirected domain name that is different than said requested domain name;

identify a server associated with said domain name as a function of said requested time-stamp;

transmit an indication of said identified machine storing said electronic document corresponding to said time-stamp.

29. (Withdrawn) A method for identifying a domain of an electronic document, said method comprising the steps of:

receiving a request for said electronic document, said request including a requested time-stamp and a domain name, wherein said domain name is associated with a first domain for a first time period and a second domain for a second time period; and

identifying one of said first domain or said second domain utilizing a time indicated by said time-stamp.

- 30. (Withdrawn) The method according to claim 29, wherein said request includes an address identifying said electronic document.
- 31. (Withdrawn) The method according to claim 30, wherein said address is a Uniform Resource Locator ("URL").
- 32. (Withdrawn) The method according to claim 31, wherein said Uniform
 Resource Locator ("URL") has an associated request header for indicating said requested time stamp.
 - 33. (Withdrawn) The method according to claim 29, wherein said request is specified using a browser.

5

10

15

20

- 34. (Withdrawn) The method according to claim 29, wherein said requested time-stamp is a relative time-stamp.
- 35. (Withdrawn) The method according to claim 29, further comprising the step of identifying an address of said electronic document utilizing said identified domain.